

## 4G solar powered battery floodlight PTZ camera

LS-4GS13



### Key Features

- Solar panel universal adjustment, built-in super capacity battery
- Ultra-low power standby, quick wake up in 0.2 seconds
- PIR sensor alarm detection
- Infrared light or white light can be set choose white light mode, dual use for video surveillance and garden lights
- High-performance ISP and 1/2.7" progressive sensor, blacklight full color
- 1920\*1080P HD video
- Built-in microphone and loudspeaker, support two way audio
- Support Cloud storage and local storage
- APP support Android/IOS
- IP65 waterproof
- Support All-in-One installation and separated installation

## Specifications

Model No.	LS-4GS13	
General	Main processor	Ingenic-T31ZL
	APP Operation System	Android, IOS
	Image Sensor	1/2.7" Image Sensor
	Compression	H.264+/H.265
	Resolution	1920*1080 1080P
Internet Connection	4G	TD-LTE,TD-LTE / LTE FDD TD-LTE / LTE-FDD
	4G Version	European version: FDD-LTE B1/B2/B3/B5/B7/B8/B20 TDD-LTE B38/B40/B41(120MHz)
Alarm	Detection Mode	PIR detection
	Detection Distance	0~10M
	Detect Angle	95°
	Alarm Mode	Realtime calling or push message
PTZ	PTZ Angle	Horizontal 355 ° Vertica 90°
	Speed	Horizontal 55 °/S Vertical 40°/S
Night Vision	Full color night vision	0.001 Lux
	IR LED	infrared LED 15M IR distance
	White light LED	white light LED 10M distance
Audio	Built-in speaker (input)	3W
	Built-in microphone (output)	voice monitoring distance 20M
Lens	Lens	3.6mm
	Lens Angle	95°
Storage	Cloud Storage	storage when alarm recording
	Local Storage	TF Card Max 128G

Power	Power Supply Mode	Solar Panel+ Build in Batteries
	Panel Material	monocrystalline silicon
	Solar Energy Power	5W
	Battery Capacity	Support 3pcs 21700 15000mAh batteries
	Operating power consumption	4W
	Standby consumption	0.003W
Others	Working Environment	Indoor/outdoor
	Operation Temperature	-30°~+60°
	Humidity	0%~90%RH
Package	N.W.	1.66KG/PC
	Giftbox size	245*196*132mm
	Quantity in carton	12pcs
	G.W.	20KG/CTN
	Carton size	50*40*42CM