

Low power 4G solar battery floodlight PTZ camera

LS-4GS15



Key Features

- Built-in 4G module, different modules in different countries
- Pan&Tilt:Pan 355 degree&Tilt 100 degree
- 5 watt solar panel with 3m extension cord,built-in 10400mAh batteries
- Two-way voice intercom
- Cloud storage and TF card storage maximum 128G (without TF card)
- 4G network remote viewing/playback via APP
- Automatic video recording and message push when human body motion wakes up
- Arbitrary arming time can be set
- 3.6mm lens,built-in infrared light + white light, night vision full color or infrared mode optional IR distance 15 meters
- Dual use for video surveillance and garden lighting
- Waterproof grade IP66

Specifications

Model No.	LS-4GS15	
General	Main processor	Ingenic-T31ZL
	APP Operation System	Android, IOS
	Image Sensor	1/2.7" Image Sensor
	Compression	H.264+/H.265
	Resolution	2276*1280 3MP
Internet Connection	4G	TD-LTE,TD-LTE / LTE FDD TD-LTE / LTE-FDD
	4G Version	CN/ AU/ EU/ JP/ US/ ASEAN (Optional)
Alarm	Detection Mode	PIR + Radar dual detection
	Detection Distance	0~12M
	Detect Angle	95°
	Alarm Mode	Realtime calling or push message
PTZ	PTZ Angle	Horizontal 355 ° Vertica 100°
	Speed	Horizontal 55 °/S Vertical 40°/S
Night Vision	Full color night vision	0.001 Lux
	IR LED	infrared LED 15M IR distance
	White light LED	white light LED 20M distance
Audio	Built-in speaker (input)	3W
	Built-in microphone (output)	voice monitoring distance 20M
Lens	Lens	3.6mm
	Lens Angle	95°
Storage	Cloud Storage	storage when alarm recording
	Local Storage	TF Card Max 128G
Power	Power Supply Mode	Solar Panel+ Build in Batteries
	Panel Material	monocrystalline silicon
	Solar Energy Power	5W

	Battery Capacity	Support 10400mAh Super battery
	Operating power consumption	4W
	Standby consumption	0.003W
Others	Working Environment	Indoor/outdoor
	Operation Temperature	-30°~+60°
	Humidity	0%~90%RH
Package	N.W.	1.52KG/PC
	Giftbox size	230*212*232mm
	Quantity in carton	6pcs
	G.W.	615*300*360mm
	Carton size	10.2kg