

4K/8MP WIFI panoramic solar powered battery camera;

LS-MS2



Key Features

- 1. 4K/8MP WIFI panoramic solar powered battery camera;
- 2. Dual lens 180° ultra wide Angle monitoring;
- 3. WIFI 2.4GHz , IEEE 802.11 b/g/n
- 4. 6 watt solar panel with 2m extension cord, built-in 18000mAh batteries, solar panels support integrated installation and separate installation
- 5. Two-way voice intercom
- 6. Cloud storage and TF card storage maximum 128G (without TF card)
- 7. Support Android, IOS APP remote viewing/playback (APP:NiView)
- 8. PIR + humanoid detection wake-up video recording and message push
- 9. 24 hours recording, 24 hours + trigger recording, trigger recording three working modes
- 10. Dual light source design, night vision full color distance of 20 meters, night vision infrared distance of 40 meters
- 11. 2pcs 2.8mm lenses spliced to super wide angle viewing, 4x digital zoom and dual channel preview to achieve a panoramic and detailed view.
- 12. Support humanoid detection, humanoid automatic tracking,
- 13. Waterproof grade IP66



Specifications

Model No.	LS-MS2	
General	Main processor	Ingenic-T40
	APP Operation	Android, IOS
	System	
	Image Senor	2PCS CMOS Sensor
	Compression	H.264+/H.265
	Resolution	4MP+4MP
Internet Connection	wifi	2.4GHz , IEEE 802.11 b/g/n
Alarm	Detection Mode	PIR + Humanoid detection
	Detection	0~8M
	Distance	
	Detect Angle	180°
	Alarm Mode	push message
Night Vision	Full color night	0.00001 Lux
	vision	
	IR LED	infrared LED 40M IR distance
	White light LED	white light LED 20M distance
Audio	Built-in speaker	3W
	(input)	
	Built-in	voice monitoring distance 20M
	microphone (output)	
Lens	Dual-lens	2.8mm+2.8mm splicing 180° panoramic
Storage	Cloud Storage	storage when alarm recording
	Local Storage	TF Card Max 128G
Power	Power Supply	Solar Panel+ Build in Batteries
	Mode	
	Panel Material	monocrystalline silicon
	Solar Energy	6W
	Power	



www.lsvisionhd.com

	Battery Capacity	18000MA batteries
	Operating power	3W
	consumption	
	Standby	0.003W
	consumption	
Others	Working	Indoor/outdoor
	Environment	
	Operation	-20°~+60°
	Temperature	
	Humidity	0%~90%RH
Package	N.W.	1.8KG/PC
	Giftbox size	250*230*188mm
	Quantity in carton	12pcs
	G.W.	22.5
	Carton size	570*501*470mm