

Dual lens WIFI solar powered battery PTZ camera

LS-CS1



Key Features

- 1. Dual lens WIFI solar powered battery PTZ camera
- 2. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- 3. 3.5 watt solar panel with 3m extension cord, build-in 8000mAh batteries
- 4. Two-way voice intercom
- 5. Cloud storage and TF card storage maximum 128G (without TF card)
- 6. WIFI 2.4GHz, IEEE 802.11b /g/n, remote viewing/playback via APP (O-KAM)
- 7. PIR + humanoid detection wake-up video recording and message push
- 8. 4mm+12mm dual lens 10X Optical + Digital Hybrid Zoom
- 9. Sound and light alarm, and custom alarm sound
- 10. Supports preset point, two point scan and watch guard functions
- 11. Dual light source design, night vision full color distance of 20 meters, night vision infrared distance of 40 meters
- 12. Waterproof grade IP66

Specifications

Model No.	LS-CS1	
General	Main processor	Ingenic-T31ZL
	APP Operation System	Android, IOS
	Image Sensor	CMOS Sensor
	Compression	H.264+/H.265
	Resolution	3MP
Internet Connection	wifi	2.4GHz , IEEE 802.11 b/g/n
Alarm	Detection Mode	PIR + Humanoid detection
	Detection Distance	0~12M
	Detect Angle	95°
	Alarm Mode	push message
PTZ	PTZ Angle	Horizontal 355 ° Vertica 100°
	Speed	Horizontal 55 °/S Vertical 40°/S
Night Vision	Full color night vision	0.00001 Lux
	IR LED	infrared LED 40M IR distance
	White light LED	white light LED 20M distance
Audio	Built-in speaker (input)	3W
	Built-in microphone (output)	voice monitoring distance 20M
Lens	Dual lens	4mm+12mm 10X Hybrid Zoom
Storage	Cloud Storage	support
	Local Storage	TF Card Max 128G
Power	Power Supply Mode	Solar Panel+ Build in Batteries
	Panel Material	monocrystalline silicon

	Solar Energy Power	3.5W
	Battery Capacity	8000MA batteries
	Operating power consumption	4W
	Standby consumption	0.003W
Others	Working Environment	Indoor/outdoor
	Operation Temperature	-20°~+60°
	Humidity	0%~90%RH
Package	N.W.	0.95KG/PC
	Giftbox size	220*150*140mm
	Quantity in carton	/
	G.W.	/
	Carton size	/