

## WIFI solar long video powered battery PTZ camera

#### LS-WS40-10X



### **Key Features**

- 1. 24-hours long video + low power sleep dual mode wifi solar powered battery PTZ camera
- 2. 24-hour recording when the battery is sufficient, trigger recording when the battery is low
- 3. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- 4. 20 watt solar panel, built-in 30000mAh batteries
- 5. Two-way voice intercom
- 6. Cloud storage and TF card storage maximum 128G (without TF card)
- 7. WIFI 2.4GHz , IEEE 802.11 b/g/n, remote viewing/playback via APP (UBox)
- 8. Mobile phone APP message push when someone is detected
- 9. Arbitrary arming time can be set
- 10. 5-50mm 10x optical zoom lens, built-in infrared light + white light, night vision full color or infrared mode optional IR distance 40 meters
- 11. Waterproof grade IP66



# **Specifications**

Model No.	LS-WS40-10X	
General	Main processor	Ingenic-T40
	APP Operation System	Android, IOS
	Image Senor	1/2.7" Image Sensor
	Compression	H.264+/H.265
	Resolution	5MP
Internet Connection	WIFI	2.4GHz WIFI
Alarm	Detection Mode	PIR+Human detection
	Detection Distance	0~12M
	Detect Angle	95°
	Alarm Mode	Realtime calling or push message
PTZ	PTZ Angle	Horizontal 355 ° Vertica 90°
	Speed	Horizontal 55 °/S Vertical 40°/S
Night Vision	Full color night vision	0.001 Lux
	IR LED	infrared LED 40M IR distance
	White light LED	white light LED 40M distance
Audio	Built-in speaker	3W
	(input) Built-in	voice monitoring distance 20M
	microphone	VOICE MONITORING VISIANCE ZOW
	(output)	
Lens	Lens	5-50mm
	Lens Angle	65°
Storage	Cloud Storage	storage when alarm recording



#### www.lsvisionhd.com

	Local Storage	TF Card Max 128G
Power	Power Supply Mode	Solar Panel+ Build in Batteries
	Panel Material	monocrystalline silicon
	Solar Energy Power	20W
	Battery Capacity	Support 6pcs 21700 30000mAh batteries
	Operating power consumption	4W
	Standby consumption	0.003W
Others	Working Environment	Indoor/outdoor
	Operation Temperature	-10°~+60°
	Humidity	0%~90%RH
Package	N.W.	3.8KG/PC
	Giftbox size	340*240*180mm
	Quantity in carton	4pcs
	G.W.	16.5KG/CTN
	Carton size	355*494*380MM