

There-lens 4G Solar powered battery PTZ camera

LS-CS3U-4G-10X



Key Features

- 1. 2K three-lens dual-screen 4G solar powered battery PTZ camera
- 2. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- 3. 8 watt solar panel with 1.8m extension cord,built-in 8000mAh batteries
- 4. Two-way voice intercom
- 5. Cloud storage and TF card storage maximum 128G (without TF card)
- 6. 4G network, remote viewing/playback via APP (V380 Pro)
- 7. PIR +Ai humanoid detection alarm and video recording
- 8. Arbitrary arming time can be set and alarm sound can be set
- 9. 3.6mm +3.6mm +8mm lens 10X zoom,built-in infrared light + white light, IR distance 20 meters
- 10.Support humanoid automatic tracking
- 11. Waterproof grade IP66

Specifications

Model No.	LS-CS3U-4G-10X	
General	Main processor	KM01
	APP Operation System	Android, IOS
	Image Sensor	2pcs 1/2.7" Image Sensor
	Compression	H.265
	Resolution	2MP+2MP
Internet Connection	4G	Support
	4G Version	EU(FDD:B1/B3/B7/B8/B20) SA(FDD:B1/B3/B5/B8 TDD:B34/B38/B39/B40/B41)
Alarm	Detection Mode	PIR+Human detection
	Detection Distance	0~12M
	Detect Angle	110°+110°
	Alarm Mode	Realtime calling or push message
PTZ	PTZ Angle	Horizontal 270 ° Vertical 90°
	Speed	Horizontal 55 °/S Vertical 40°/S
Night Vision	Full color night vision	0.001 Lux
	IR LED	infrared LED 20M IR distance
	White light LED	white light LED 20M distance
Audio	Built-in speaker (input)	3W
	Built-in microphone (output)	voice monitoring distance 20M
Lens	Lens	3.6mm + 3.6mm+8mm
	Lens Angle	100° + 100°
Storage	Cloud Storage	storage when alarm recording
	Local Storage	TF Card Max 128G
Power	Power Supply	Solar Panel+ Build in Batteries

	Mode	
	Panel Material	monocrystalline silicon
	Solar Energy Power	8W
	Battery Capacity	Support 8000mAh batteries
	Operating power consumption	4W
	Standby consumption	0.003W
Others	Working Environment	Indoor/outdoor
	Operation Temperature	-30°~+60°
	Humidity	0%~90%RH
Package	N.W.	
	Giftbox size	
	Quantity in carton	
	G.W.	
	Carton size	