





% WhatsApp/WeChat: 86-13662574726

Email: sales@lishigroup.com

Website: www.lsvisionhd.com
www.lsvisionsolar.com

Address: Shenzhen, China





v.lsvisionhd.com www.lsvisionsola



15+ Years Security Camera Manufacturer

Core Value: "Quality, Innovation, Dedication".

3000 m²+

Factory Area

5000 piece+

Daily Production Volume

1500 m²+

10 + Styles Customized OEM/ODM

Warehouse Area

A Customized Logo

100+

1000+

99.9%

10 + New Product

Invention Patent

Annually Updates

CE/FCC/RoHs

Sold to Countries Cooperative Clients

Customer Rating Rate

Obtained Certificates



Dear Global Customers,

This is Jennylee, and as the CEO of LS VISION, I am writing to express my heartfelt gratitude for your unwavering support and trust in our company over the years. In the highly competitive international trade arena, your partnership has been the cornerstone of our growth and a constant source of motivation for our entire team.

Our solar-powered security cameras, as an innovative newenergy product, have been a remarkable journey for us together. Thanks to your support, our cameras have been deployed worldwide, providing reliable security solutions. By using solar energy, we are also reducing carbon emissions, making a tangible contribution to environmental protection.

Your unique market insights and demands have driven us to continuously innovate our products, improving features like image quality and night-vision capabilities, as well as

enhancing our services to better meet the needs of the global market. Your feedback has been crucial in helping us adapt to the ever-changing global market and make strategic decisions that have led to our mutual success. Looking ahead, we are filled with enthusiasm and high hopes. Our company is committed to further diversifying our new-energy product offerings, optimizing our supply chain to ensure faster delivery times, and strengthening our R&D capabilities. We aim to introduce more advanced solar-powered security cameras with even greater energy-saving features and enhanced security functions.

We firmly believe that there are limitless opportunities for us to expand our business cooperation. By working together, we can not only make the world a safer place with our reliable security cameras but also a more environmentally friendly one with the use of clean solar energy. Our joint efforts will help preserve a better world for future generations.

On this special occasion, I would like to extend my warmest wishes to you, your families, and your businesses. May the coming year be filled with prosperity, good health, and continued success.

Thank you again for your continuous support. We look forward to a future filled with even more fruitful collaborations and shared successes!

Welcome To Be LS VISION Global Partners

























LS VISION Qualification Certificate











National High-Tech Enterprise

SRCI SMEs

Intellectual Property Certificate

ISO 14001:2015

ISO:9001:2015















Software Copyright

Software Copyright


Utility Model Patents

Invention Patent

CE Certificate

FCC Certificate

RoHS Certificate







Office


R&D Office





Workshop Product Testing Center

DEVELOPMENT PATH



LSVISIØN® For a Better World

LSVISIØN[®] For a Better World

UBOX Low-power Solar Camera Series

Model LS-4GS22 LS-WS22 4G/Wifi Dual Lens Solar Powered Battery Camera









- 1. Pan&Tilt:Pan 355 degree&Tilt 100 degree. Two-way voice intercom. Waterproof grade IP66
- 2. 7 watt solar panel with 3m extension cord, built-in 10400mAh batteries
- Cloud storage and TF card storage maximum 256G (without TF card) only supports 256GB TF card provided by LS VISION
- 4. 4G Camera: Built-in 4G module, different modules in different countries.4G network remote viewing/playback via APP (UBox).
- WIFI Camera: WIFI 2.4GHz , IEEE 802.11 b/g/n, remote viewing/playback via APP (UBox)
- Supports Bluetooth quick network configuration
- PIR +AI humanoid detection alarm and video recording, red and blue alarm lights flashing,
 PIR detection distance: within 12 meters
- 3.6mm +8mm lens,built-in infrared light + white light, night vision full color or infrared mode optional, IR distance 20 meters. Alarm deployment time can be set
- 8. Support dual-video linkage positioning and humanoid automatic tracking







Model LS-4GS23 LS-WS23 4G/Wifi Dual Lens 20X Zoom Solar Battery Camera









- 1. 6MP dual-lens dual-screen wifi solar powered battery PTZ camera
- 2. Pan&Tilt:Pan 355 degree&Tilt 100 degree. Two-way voice intercom. Waterproof grade IP66
- 3. 10 watt solar panel with 3m extension cord, built-in 10000mAh batteries
- Cloud storage and TF card storage maximum 256G (without TF card) , only supports 256GB TF card provided by LS VISION
- 4G Camera: Built-in 4G module, different modules in different countries.4G network remote viewing/playback via APP (UBox).
- WIFI Camera: WIFI 2.4GHz, IEEE 802.11 b/g/n, remote viewing/playback via APP (UBox)
- 6. Supports Bluetooth quick network configuration
- 7. PIR +AI humanoid detection alarm and video recording, PIR detection distance: within 12 meters
- 8. Alarm deployment time can be set
- 9. 4mm wide-angle lens + 6-36mm 20x zoom PTZ lens, Seeing clearly from far and near
- Built-in infrared light + white light, night vision full color or infrared mode optional,
 IR distance 40 meters
- 11. Support dual-video linkage positioning and humanoid automatic tracking











LS VISIØN® | For a Better World



Model LS-4GS40-20X LS-WS40-20X 5MP 4G/Wifi Solar Camera 24-hour Recording











- 1. 24-hours long video + low power sleep dual mode solar powered battery PTZ camera
- 2. 24-hour recording when the battery is sufficient, trigger recording when the battery is low
- 3. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- 4. 20 watt solar panel, built-in 30000mAh batteries
- 5. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card) , only supports 256GB TF card provided by LS VISION
- 7. WIFI Camera: WIFI 2.4GHz, IEEE 802.11 b/g/n, remote viewing/playback via APP (UBox)
- 4G Camera: Built-in 4G module, different modules in different countries.
- 4G networkremote viewing/playback via APP (UBox)
- 8. Mobile phone APP message push when someone is detected
- 9. Arbitrary arming time can be set
- 10. 5-50mm 20x zoom lens, built-in infrared light + white light, night vision full color or infrared mode optional IR distance 40 meters
- 11. Waterproof grade IP66

Model LS-P550-30X LS-P550-4G-30X 5MP 30X Optical Zoom 4G/Wifi PTZ camera









- 1. 4.5 inch 5MP HD WIFI/4G PTZ camera;
- 2. Metal+ plastic case, outdoor waterproof;
- 3. Rotation Angle: 355 degrees horizontal, 90 degrees vertical, the highest speed of 60 degrees /S;
- 4. WIFI/4G antenna, TF card storage, cloud storage, two-way voice intercom;
- 5. 30X optical zoom lens, the maximum daytime viewing distance of 1000-2000 meters;
- 6. Dual light source design, night vision full color 50 meters, night vision infrared 120 meters;
- 7. Support humanoid detection, sound and light alarm, APP push, and custom alarm sound
- 8. Support humanoid tracking, and automatically zoom the lens in the tracking process;
- 9. Support preset points and cruise function;
- Support ONVIF protocol and access NVR;
- 11. Support 2.4G WIFI/4G SIM Card and RJ45 access network;
- 12. Support Android/IOS APP and PC client management (APP CamHipro)
- 13. Waterproof grade IP66

Model LS-4GS12 LS-WS12 4G/Wifi Solar Powered Battery Camera










- 1. Built-in 4G module, different modules in different countries
- 2. Pan&Tilt: Pan 355 degree& Tilt 100 degree
- 3. 8 watt solar panel, built-in 15600mAh 6 pcs 18650 batteries
- 4. Two-way voice intercom, IP66 Waterproof
- Cloud storage and TF card storage maximum 256G (without TF card) , only supports 256GB TF card provided by LS VISION
- 4G network remote viewing/playback via APP (UBox)
 WIFI 2.4GHz , IEEE 802.11 b/g/n, remote viewing/playback via APP(UBox)
- 7. Automatic video recording and message push when human body motion wakes up
- 8. 3.6mm lens, built-in infrared light + white light, night vision full color or infrared mode optional
- 9. Infrared distance 15 meters. Arbitrary arming time can be set







Model LS-4GS12-10X LS-WS12-10X 4G/Wifi Solar 10x Optical Zoom Camera









- 1. 5MP 4G/Wifi solar powered battery PTZ camera
- 2. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- 3. 8 watt solar panel, built-in 15600mAh 6 pcs 18650 batteries
- 4. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card) , only supports 256GB TF card provided by LS VISION
- 6. WIFI Camera: WIFI 2.4GHz, IEEE 802.11 b/g/n, remote viewing/playback via APP (UBox)
- 4G Camera: Built-in 4G module, different modules in different countries.
- 4G network remote viewing/playback via APP (UBox)
- 7. Automatic video recording and message push when human body motion wakes up
- 8. Arbitrary arming time can be set
- 9. 5-50mm 10x optical zoom lens, built-in infrared light + white light, night vision full color or infrared mode optional IR distance 40 meters
- 10. Waterproof grade IP66







Model LS-4GS14 LS-WS14 4G/Wifi Solar Powered Battery Camera










- Wifi Model: WIFI 2.4GHz , IEEE 802.11 b/g/n,
 4G Model: Built-in 4G module, different modules in different countries
- 2. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- Wifi Model: 3.5 watt solar panel, built-in 7800mAh batteries.
 4G Model: 6 watt solar panel, built-in 10400mAh batteries
- 4. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card) , only supports 256GB TF card provided by LS VISION
- 6. Remote viewing/playback via APP (UBox)
- 7. Automatic video recording and message push when human body motion wakes up
- 8. Arbitrary arming time can be set
- 9. 3.6mm lens, infrared light or white light can be set, dual use for video surveillance and garden lights
- 10. Waterproof grade IP66







Model LS-4GS10 LS-WS10 4G/Wifi Solar Powered Battery Camera









- Wifi Model: WIFI 2.4GHz , IEEE 802.11 b/g/n
 4G Model: Built-in 4G module, different modules in different countries
- 2. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- Wifi Model: 3.5 watt solar panel, built-in 7800mAh batteries.
 4G Model: 3.5 watt solar panel, built-in 7800mAh batteries.
- 4. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card) , only supports 256GB TF card provided by LS VISION
- 6. Remote viewing/playback via APP (UBox)
- 7. Automatic video recording and message push when human body motion wakes up
- 8. Arbitrary arming time can be set
- 3.6mm lens,built-in infrared light + white light, night vision full color or infrared mode optional IR distance 15 meters
- 10. Waterproof grade IP66







LSVISIØN® For a Better World

LSVISIØN® For a Better World


UBOX Indoor Camera Series

Model LS-BC1-4G LS-BC1 4G/Wifi Indoor Mini Battery Camera










- 1. 3MP 4G Mini battery camera
- 2. Built-in 2400mAh batteries
- 3. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card)
 only supports 256GB TF card provided by LS VISION
- 4G Camera: Built-in 4G module, different modules in different countries.
 4G network remote viewing/playback via APP (UBox).
 WIFI Camera: WIFI 2.4GHz, IEEE 802.11 b/g/n, remote viewing/playback via APP (UBox)
- Automatic video recording and message push when human body motion wakes up,
 PIR detection distance: 5 meters
- 7. Alarm deployment time can be set
- 8. 3.2mm lens, built-in 940nm infrared light, IR distance 8 meters
- 9. Not waterproof, suitable for indoor use







UBOX Solar Camouflage Camera Series

Model LS-4GS17M LS-WS17M 3MP HD 4G/WIFI Solar Battery Camera











- 1. 4G/WIFI solar powered battery PTZ camera
- 3. Pan&Tilt:Pan 240 degree&Tilt 100 degree
- 4. WIFI Camera: 3.5 watt solar panel with 3m extension cord, built-in 7800mAh batteries
 4G Camera: 6 watt solar panel with 3m extension cord, built-in 10400mAh batteries
- 5. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TFcard) only supports 256GB TF card provided by LS VISION
- WIFI Camera: WIFI 2.4GHz , IEEE 802.11 b/g/n, remote viewing/playback via APP(UBox)
 4G Camera: Built-in 4G module, different modules in different countries, 4G network
 remote viewing/playback via APP(UBox)
- 8. Automatic video recording and message push when human body motion wakes up
- 9. Alarm deployment time can be set
- 3.6mm lens,built-in infrared light + white light, night vision full color or infrared mode optional IR distance 15 meters
- 11. Waterproof grade IP66







LSVISIØN[®] For a Better World



Model LS-4GS16M LS-WS16M 4G/Wifi Solar Powered Battery PTZ camera









- 1. 3MP Solar powered battery PTZ camera
- 2. Pan&Tilt:Pan 240 degree&Tilt 100 degree
- WIFI Camera: 3.5 watt solar panel with 3m extension cord, built-in 7800mAh batteries
 4G Camera: 6 watt solar panel with 3m extension cord, built-in 10400mAh batteries
- 4. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card) only supports 256GB TF card provided by LS VISION
- 4G Camera: Built-in 4G module, different modules in different countries.4G network remote viewing/playback via APP (UBox).
- WIFI Camera: WIFI 2.4GHz, IEEE 802.11 b/g/n, remote viewing/playback via APP (UBox)
- 7. Automatic video recording and message push when human body motion wakes up
- 8. Alarm deployment time can be set
- 9. 3.6mm lens, built-in infrared light + white light, night vision full color or infrared mode optional IR distance 15 meters
- 10. PIR detection distance: within 12 meters
- 11. Waterproof grade IP66

Model | LS-4GS21M LS-WS21M 4G/Wifi Solar Battery Camera









- 1. 6MP dual lens wifi solar powered battery floodlight PTZ camera
- 2. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- WIFI Camera: 6 watt solar panel with 3m extension cord, built-in 10000mAh batteries
 4G Camera: 6 watt solar panel with 3m extension cord, built-in 15000mAh batteries
- 4. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card)only supports 256GB TF card provided by LS VISION
- WIFI Camera: WIFI 2.4GHz , IEEE 802.11 b/g/n, remote viewing/playback via APP(UBox)
 4G Camera: 4G network remote viewing/playback via APP (UBox)
- 7. Dual PIR +AI humanoid detection alarm and video recording
- 8. Arbitrary arming time can be set
- 2.8mm +6mm lens,built-in infrared light + white light, night vision full color or infrared mode optional, IR distance 20 meters
- 10. Support dual-video linkage positioning and humanoid automatic tracking
- 11. Waterproof grade IP66





LS VISIØN® | For a Better World



Model | LS-MS1-4G-20X LS-MS1-20X 4K 20X Zoom Dual Lens 4G/Wifi Solar Camera









- 1. 4K dual lens solar powered battery floodlight PTZ camera
- Wifi Model: WIFI 2.4GHz , IEEE 802.11 b/g/n.
 4G Model: Built-in 4G module, different modules in different countries
- 3. Pan&Tilt:Pan 355 degree&Tilt 90 degree
- 4. 9 watt solar panel with 2m extension cord, built-in 20000mAh batteries
- Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card)only supports 256GB TF card provided by LS VISION
- 7. Support Android, IOS APP remote viewing/playback (APP:NiView)
- 8. PIR + humanoid detection wake-up video recording and message push
- 9. 24 hours recording, 24 hours + trigger recording, trigger recording three working modes
- 10. 2.5mm wide-angle lens + 5-50mm 20x zoom lens, Seeing clearly from far and near
- 11. Built-in infrared light + white light, night vision full color or infrared mode optional IR distance 40 meters
- 12. Support motion detection, humanoid detection, dual-video linkage positioning and humanoid automatic tracking
- 13. PIR detection distance: within 12 meters
- 14. Waterproof grade IP66

Model LS-MS2-4G LS-MS2 4K Dual Lens 180° Ultra Wide Angle Solar Camera









- 1. 4K/8MP WIFI/4G panoramic solar powered battery camera;
- 2. Dual lens 180° ultra wide Angle monitoring;
- Wifi Model: WIFI 2.4GHz , IEEE 802.11 b/g/n.
 4G Model: Built-in 4G module, different modules in different countries
- 4. 6 watt solar panel with 2m extension cord, built-in 18000mAh batteries, solar panels support integrated installation and separate installation
- 5. Two-way voice intercom. Waterproof grade IP66
- Cloud storage and TF card storage maximum 256G (without TF card) only supports 256GB TF card provided by LS VISION
- 7. Support Android, IOS APP remote viewing/playback (APP:NiView)
- 8.PIR + humanoid detection wake-up video recording and message push
- 9. 24 hours recording, 24 hours + trigger recording, trigger recording three working modes
- 10.Built-in infrared light + white light, night vision full color or infrared mode optional
- IR distance 15 meters
- 11.2pcs 2.8mm lenses spliced to super wide angle viewing, 4x digital zoom and

dual channel preview to achieve a panoramic and detailed view.

12. Support humanoid detection, humanoid automatic tracking,

LS VISIØN® | For a Better World





Model LS-MS3A-4G-10X LS-MS3A-10X Multi-Lens 4G/Wifi Solar Battery Camera

- 1. WiFi Version Camera:
- (1). 2K/ 4MP multi-lens wifi solar powered battery floodlight PTZ camera
- (2). WIFI 2.4GHz, IEEE 802.11 b/g/n;
- 2. 4G Version Camera:
- (1). 2K/ 4MP multi-lens 4G & wifi solar powered battery floodlight PTZ camera
- (2). Support 4G and wifi 2.4GHz two modes of Internet access,

through the mode switch change

- 3. Pan&Tilt:Pan 355 degree&Tilt 90 degree
- 4. 9 watt solar panel with 2m extension cord, built-in 12000mAh batteries
- 5. Two-way voice intercom
- Cloud storage and TF card storage maximum 256G (without TF card) , only supports 256GB TF card provided by LS VISION
- 7. Support Android, IOS APP remote viewing/playback (APP:NiView)
- 8.PIR + humanoid detection wake-up video recording and message push
- 9. 24 hours recording, 24 hours + trigger recording, trigger recording three working modes
- 10.2.8mm wide-angle lens and 6mm+16mm PTZ lens,10X Optical + Digital Hybrid zoom, Seeing clearly from far and near
- 11.Built-in infrared light + white light, night vision full color or infrared mode optional IR distance 25 meters
- 12. Support motion detection, humanoid detection, dual-video linkage positioning and humanoid automatic tracking
- 13. Waterproof grade IP66

Model | LS-CS3U-10X | 10X Zoom Solar Battery PTZ camera

- 1. 2K dual-lens dual-screen wifi solar powered battery PTZ camera
- 2. Pan&Tilt:Pan 355 degree&Tilt 100 degree
- 3. 8 watt solar panel with 1.8m extension cord, built-in 8000mAh batteries
- 4. Two-way voice intercom
- 5. Cloud storage and TF card storage maximum 128G (without TF card)
- 6. WIFI 2.4GHz, IEEE 802.11 b/g/n, remote viewing/playback via APP (V380 Pro)
- 7. PIR +AI humanoid detection alarm and video recording, PIR detection distance: within 10 meters
- 8. Arbitrary arming time can be set and alarm sound can be set
- No Zoom Camera: 3.6mm +3.6mm lens,built-in infrared light + white light, IR distance 20 meters
 Zoom Camera: 3.6mm +3.6mm +8mm lens 10X zoom,built-in infrared light + white light, IR distance 25 meters
- 10. Support humanoid automatic tracking
- 11. Waterproof grade IP66


LSVISIØN[®] For a Better World

LSVISIØN® For a Better World

Dash Camera Series

Model LS-VM1-4G 4G Dashcam + 24H Parking Monitoring

- 4MP dual-lens 4G intelligent vehicle monitoring
- 2. Built-in 4G module, different modules in different countries
- 3. Two-way voice intercom
- 4. Cloud storage and TF card storage maximum 128G (without TF card)
- 5. 4G network remote viewing/playback via APP (UCon)
- 6. Built-in front and rear dual radar/motion detection/humanoid detection alarm
- 7. Built-in G-sensor module, collision vibration detection alarm
- Built-in GPS module, APP map positioning and OSD latitude and longitude and speed display
- Open the low-power guard mode in the parking state, and the full- time video mode in the driving state
- 2.95mm lens+2.28mm lens for full-color night vision at front and 940nm infrared night vision at back
- 11. Power input: DC5V, and 3.3 m OBD power cable is included
- Not waterproof














Project Dash Camera Series

Model LS-VC20 Intelligent Vehicle Video Recorder

- 1. MINI intelligent vehicle video recorder, 2/3CH dashcam;
- 2. Built-in 2CH 1080P camera, expanded third channel 1080P external camera (optional);
- 3. Support MIC and speaker, recording in-car audio, TTS voice function;
- 4. Support automatic IRCUT switching night vision function;
- 5. Built-in GPS module to achieve speed, position, time and route management;
- 6. Support driving line separation and area access alarm;
- Integrated 4G communication module, which can realize remote monitoring and management;
- Integrated WIFI, support hotspot function, APP connects to the device WIFI hotspot for configuration and debugging;
- Built-in G-SENSOR module, automatic alarm upload of rollover, impact and emergency brake; Support abnormal vibration alarm reporting;
- 9V~36V wide voltage input, support reverse connection, over voltage over current load protection;
- 11. Max support TF card 512G storage, support hot swap, support TF card upgrade;
- 12. Support alarm button emergency alarm.















ABOUT LS VISION

BRAND STORY



With a respectful heart towards God and people, love your industry.



Focus on the intelligent security industry Keep improving and be a wise Chinese



First-class team First-class products First-class service First-class brand





Keeping pace with the times, user-focused thinking To solve problems for this planet and society



ABOUT LS VISION

CORE VALUES

Zero defective products International perspective



Altruism, love Achieve mutual success, a win-win situation



